

22314

AGAH-A

19 MAY 1965

SUBJECT: Distinctive Insignia for the 64th Engineer Battalion

TO: Commanding Officer
64th Engineer Battalion
APO NY 09231

1. The distinctive insignia (badge) originally approved for the 64th Engineer Company (Topographic), 13 October 1941, is authorized this date for the 64th Engineer Battalion. It is described as follows:


BLAZON

A red seated figure with white face and hands and black eye, holding a magnifying glass in one hand and a pen in the other, both white, working on a white globe with gold markings grasped between his legs.


DESCRIPTION

The design depicts the map-making duties of this company. The badge will be manufactured in bright metal and enamel in one size as the organization may select, but not in excess of $1\frac{1}{2}$ inches in height.

2. This authorization is in accordance with the following:
- a. Paragraph 139, Changes 2, AR 670-5, 5 April 1962.
 - b. Letter, AGAO-O (M) 322 (11 Apr 61) DCSPER dated 25 April 1961, amended by letter AGAO-O (M) 322 (2 May 61) DCSPER dated 2 May 1961, effective 14 June 1961.
 - c. General Orders No. 11, Corps of Engineers, US Army Map Service dated 26 May 1961.


HARRY D. TEMPLE
Colonel, AGC
Commanding

Cy furnished: OCMH



Authorized 19 May 1965
64TH ENGINEER BN.

D3101
ACTUAL SIZE $1\frac{3}{16}'' + \frac{1}{64}''$

METAL COLOR---GOLD

FINISH-----MIRROR-LIKE POLISH

DEVICE-----

ENAMEL---VITREOUS OPAQUE


CHARGES---FLUSH

RCING-----BETWEEN ARMS & LEGS

STIPLED AREAS RECESSED

LETTERING-----NONE

CHIP NO.-----RED #1 WHITE #28 BLACK #26



64TH ENGINEER BN.

ACTUAL SIZE $1\frac{3}{16}$ " $+\frac{1}{64}$ "
 $-\frac{1}{64}$ "

METAL COLOR---GOLD

FINISH-----MIRROR-LIKE POLISH

DEVICE-----

ENAMEL--VITREOUS OPAQUE

CHARGES--FLUSH

PIERCING-----BETWEEN ARMS & LEGS

STIPLED AREAS RECESSED

LETTERING-----NONE

CHIP No. -----RED #1 WHITE #28 BLACK #26

*The Institute of Heraldry
Cameron Station
Alexandria, Virginia*

DISTINCTIVE INSIGNIA FOR

64TH ENGINEER BN.

24 JUNE 1965

(DATE)



TO BE PRODUCED ONLY BY
CERTIFIED MANUFACTURERS

TIOH FORM 5
13 SEPT 63